

ORNITHOLIDAYS' TOUR TO UGANDA
Primates & Birds

06 – 19 September 2007



Leader: Ian Davidson

ORNITHOLIDAY'S TOUR TO UGANDA

Primates & Birds

06 - 19 September 2007

A Personal Diary

The great beauty of Uganda led Sir Winston Churchill to call it "the Pearl of Africa". This country of forests, lakes and mountains sits astride the Equator and combines influences from eastern and central Africa. On this tour we traveled from Lake Victoria's papyrus-fringed shores, visiting the Mabamba swamp, to the forested slopes of the Impenetrable Forest of the south west, to the open and wooded savannahs of the Queen Elizabeth National Park, to the Budongo Forest - home to a few Ituri endemics, and finally to the Victoria Nile and the savannah systems of Murchison Falls National Park. For a small country, Uganda holds an unrivaled variety of primates and is one of the few places where Gorillas are regularly encountered on well-organized trekking trips. Bwindi's Impenetrable Forest is their home and we all had close encounters with these magnificent creatures in their natural forest habitat. To observe them from just a few metres, as they go about their daily routine of sleeping, grooming and feeding is probably the ultimate thrill of a lifetime. Chimpanzee was also on the travel menu this year and we were fortunate to see three individuals crossing the road as we birded the "Royal Mile" in the heart of the Budongo Forest. Our first day was successful in our search for that most sought-after and elusive bird in the whole of Africa - many tend to be disparaging about its looks - that large grey, elusive and secretive bird with an enormous boat-like bill - the Shoebill Stork.

Thursday 06 and Friday, September 07

The group left London Heathrow at 20.00 on an overnight Kenya Airways flight. This year, because of late changes to flight schedules they transited through Nairobi. The connecting Kenya Airways flight was only 10 minutes late arriving at 09.50. After some time spent changing monies – cashing travellers' cheques are a problem as is cashing USD bank notes dated 2001 and earlier. Fortunately everyone's bags had arrived safely and after changing monies and feeling a lot flusher with all those noughts and heaps of notes stashed in our wallets we set-off in our almost new safari vehicle. We headed off to our digs for the night, the comfortable Boma Guest House in Entebbe. Lunch was soon being consumed, an almost straight flush of Tilapia, fresh from the mighty Lake Victoria, and chips.

Shortly after lunch we set off with Stephie (Kiika Moustafah) our trusty driver, our objective being Mabamba Swamp. A torrential downpour almost dampened our spirits. The road was slippery, a loaded brick truck was stuck in the culvert - we squeezed past. The rain abated to a light drizzle. Then a flat tyre, fortuitously it turned out as there were a few birds about and we saw both Yellow-rumped and Yellow-throated Tinkerbirds. The tyre was changed and we got to Mabamba by 15.15. We jumped aboard the wooden boats, three to a boat, and set off through the muddy papyrus and grass fringed waterway that led into the vast clear water papyrus fringes of the edges of Lake Victoria. It took a lot paddling and poling through the shallow waters. Then our boat guide pointed out the bird, a Shoebill, and then another. We reversed, found another channel and managed to sneak closer, within 10 metres. Still we could only see the head, bill and neck but it was an awesome eyeball-to-eyeball view. That done we left the relaxed bird in peace and headed back to where the car was parked. Malachite and Pied Kingfishers, Swamp Flycatcher, African Jacana and Yellow-billed Duck were a few of the other birds seen this afternoon. We drive back to Entebbe on the now almost dry laterite road, a complete contrast to an hour or two earlier, and we arrived in record time. Dinner and bed called especially early tonight after the long journey from home.

Saturday 08 September

We had a long drive today so we did not dilly-dally too much. Our first stop after about two hours driving was the Equator for pictures and a comfort stop. Our next stop was on the outskirts of the town of Masaka where there is a small swamp where a platform has been built and is manned by a Nature Uganda guide to monitor the swamp for Shoebill and Sitatunga. There were no Shoebill in sight on this visit but we soon saw a nice female Sitatunga and some good birds including Yellow-billed Duck, Fan-tailed Widowbird and three

species of bee-eater. We sped on, our speed cripplingly slow at times though, as we got stuck behind many, smoke belching well-laden trucks heading for Congo and Rwanda. We turned toward Rukungiri, but hereafter the tar ended and then the fun began. It was bad gravel most of the way, lots of holes and rocks but we finally made it to Buhoma just as the light was failing. After our check-in and following our evening meal we retired to bed for some well-earned rest.

Sunday September 09

Our first bird in the gloom of the morning was a Cinnamon-chested Bee-eater. From the deck as we awaited breakfast, which was a veritable feast of eggs, bacon, sausage, mushrooms, toast and marmalade, tea, coffee or chocolate, Alan picked up on a brilliantly coloured Red-headed Bluebill, which hung around just long enough for most of us to see well. A few Slaty Flycatchers were about feeding two hungry youngsters. We had breakfast and set off to the Gorilla tracking briefing by head guide Levi. Our group was *Hasbananji* (or H group) and to get near to them we drove 45 minutes in the direction of 'the neck' of the Bwindi Forest. From here we trailed along a well-used track through farm bush, slippery under foot on the steep up-hills and down-hills - our sticks, with the aid of our eager to help porters, came in extremely useful. Pretty soon after only one hour of traipsing we were being debriefed by our Gorilla guide Benson, on the edge of the Impenetrable Forest. We entered the forest in anticipation. Benson, in answer to the question of how far still to go said "30 minutes". We set-off and within three minutes we were encircled by feeding, playing, cavorting Gorillas. At first our view was limited to a few youngsters playing in the gloom of tree lianas but as the Gorillas moved a little we moved and were soon in an open clearing with thick floor vegetation and it was here that we had our best views of up to 12 animals with youngsters from six months to three years, the male silverback and a younger blackback. An hour zipped past and all too soon it was time to return to our bags and take an early lunch just outside of the forest. Then it was back to Stephie and the vehicle.

Along the way a melanistic Augur Buzzard, Black-and-White Mannikin and Mackinnon's Fiscal were seen. After a discussion about our plan to spend the afternoon at the neck we resolved the issue by taking a game scout with us. We walked the neck - it was quiet for a bit, then a few birds started to show - White-tailed Ant-thrush, Narrow-tailed Starlings - our final birds of the afternoon being Cassin's Flycatcher and Mountain Wagtail. We left the bridge at 16.00 as the rain began to fall and it did so most of the way home back to Buhoma. A very cool and still evening tonight but we had had a good day.

Monday September 10

After breakfast we set off with Saul, our local forest guide and the obligatory military lads with their faithful AK47's slung over their shoulders. We planned to spend the morning in the Impenetrable Forest walking along the old forest road. The weather this morning was, overcast, grey and cold, the bird activity was very sluggish. L'hoest's Monkeys and lots of Red-tailed were seen, and a solitary Blue too, being groomed by a Red-tailed. Alexander's Dwarf Squirrel completed our morning mammal list. Birdwise we saw Bar-tailed Trogon, a few greenbul species, Red-faced Woodland Warbler, Black-faced Apalis, amongst others. We were back at the Buhoma guesthouse by 13.00 hastened along by a light shower of rain. We were on time for lunch and set off for Ishasha just after 14.00. Just before the takeoff Stephie spotted a fantastic Red-headed Bluebill sitting close by. We filled up with fuel at Kihiki and shortly thereafter we were in the park. The roof hatches were off and we were soon baking in the warm afternoon sun, a contrast to temperatures this morning. Bird activity was excellent with a cacophony of sound. Amazingly 15 African Crakes were seen well on the road or road edge. Also, of course the cisticolas came into their own, with three species seen and another heard. More mammals with Uganda Kob, Topi, Waterbuck and nine Elephants adorned our afternoon list.

Dinner was under a large umbrella in the open to the sounds of the rushing river, frogs and bats.

Tuesday September 11

We were watching the river frontage by 06.30. It was still dark. There had been rain during the night and it was still overcast. A Goliath Heron flew laboriously upstream. A hearty breakfast was served. In the car park while we waited for everyone to assemble a Narina's Trogon was spotted, then the female too, the male called and was still calling when we returned from our game drive at 13.00. We had an exciting drive, first seeing a leopard larder, an unfortunate Uganda Kob, pulled half way up a small tree and multitudes of birds, especially David's 1,000th bird, which turned out to be the gloriously coloured and exotically named Black-backed Gonolek. Lots of Buffalo, Topi, Uganda Kob today and at the southern tip of the southern circuit we

spent some time watching and photographing a lioness on a bough in a very large fig tree. We thought that would be the highlight of the day but then on approaching Ishasha camp, Stephanie stopped the cruiser and said “do you see that” – it was a very nice female Leopard resting in a thorn-tree, back legs and tail dangling looking most uncomfortable yet magnificent at the same time.

Back in camp for lunch, the trogon was still about, a pair of Pygmy Kingfishers darting across the river attracted our attention, as did some Lesser Masked Weavers. The mixed colony of Village and Vieillot’s Black Weavers was still buzzing with activity. After lunch we set off for Mweya. We stopped a few times along the way, once at a bridge where we had a minimum of 100 Sabine’s Spinetails zooming about our heads. Black-and-White Colobus were also bounding through some large trees, their faces looking like wise old men. It drizzled for much of the onward journey but we were able to spend some time at the bridge over the Kasinga channel looking for but only hearing Papyrus Gonolek. Finally we got to Mweya Lodge at 18.30.

Wednesday September 12

After breakfast we set off on a game drive toward the Katwe explosion crater area. It took us some time to get along the road here as we kept stopping. An amazing number of White-browed Robin-chats were seen in the open and eventually, after many urgent stops; we managed to get onto a Blue-spotted Wood-Dove after having seen dozens flit away from in front of us. In the Katwe crater area the habitat changes becoming ideal for Black Coucal and Moustached Grass-warbler, both of which we had good views. The large Croaking Cisticola and diminutive Zitting were vocal and Flappet Lark walked the roadway and wing-clapped in the clear skies above us. We moved on through the scattered craters some of which had water and a sulphurous smell to them. We saw White-winged Widows and heaps of Quelea and Copper Sunbird, too. We finished lunch in time for our 14.30 departure to get to the launch. There were two launches today and both were full to the brim. This is often a great trip for close views of water associated birds as well as lots of Hippopotamus and dozens of African Buffalo at the water’s edge. Pied and Malachite Kingfishers dominated the numbers list, but we also saw Common Greenshank, Little Stint, Curlew Sandpiper, Ruff (singletons of most), Common Sandpiper, Yellow-billed Stork, lots of Grey-headed Gulls, 14 Lesser Black-backed Gulls, loads of White-breasted Cormorant and a couple of elegant Saddle-billed Stork.

Thursday September 13

After breakfast we made our way quickly out of the park. Scattered numbers of African Buffalo, Uganda Kob and Waterbuck drew our attention as we drove through the park toward Fort Portal. The paved road here is an aid project from the Israeli’s as far as Kasese; thereafter it is a Chinese affair. They had almost finished it just a few kilometres before Fort Portal were still being attended too. Those who have been to Fort Portal more than once refer to it as Fort Pothole and no amount of glamorous guide book descriptions about the town can convince one that they are writing about this town. However now I have to stop calling it Fort Pothole, as the potholes are almost a thing of the past. With all the road works our travels were slow this morning. Once we left Fort Portal the going was good for only a short while. We had an early lunch in the existing forest of Kibego and spent too long birding here. We left at 13.30 - the road deteriorated badly, much worse than the year before when it was a breeze. Also they had begun to repair it with graders. It had become a bit of a quagmire and we had to reduce our speed to very little to stay on the road. At one point a cement truck was stuck on a hill and we had to pass it using the muddy gutter. We made it though with Stephanie’s excellent driving. We only got to Hoima at 18.15 and Masindi was still an hour away. Luckily this road was in fair condition. We stopped a few times along the way including a marsh with ideal papyrus and were lucky to find and have good looks at the colourful Papyrus Gonolek. In the villages and along the way we saw Vieillot’s Black Weaver, Fan-tailed Widowbird, a cluster of very wet Great Blue Turaco (12 in all), a single Grey Kestrel, some Lizard Buzzard and three Black-shouldered Kite. We finally got to Masindi very late.

Friday September 14

After an early breakfast we set-off for Budongo Forest. The morning was partly cloudy becoming clear with blue skies, sunshine and very little wind. We met Vincent, our forest guide at the entrance to the Royal Mile. This morning we did the ‘Royal Mile’, so called as this led to King Kabalega’s, one of the Bunyoro Kings, household. Rufous Flycatcher-Thrush gave us some splendid views and we had a Blue-breasted Kingfisher, a Chocolate-backed Kingfisher, lots of Pygmy Kingfishers, Ituri Batis, and heard Lemon-bellied Crombec, Blue-throated Roller, White-thighed Hornbill and Black-throated Apalis. At one point one of us turned

around to look in the direction from which we had come to suddenly see Chimpanzee about to cross the road. A good, albeit, brief view of these splendid primates.

After midday we left the Royal Mile for Busingiro, another sector of the Budongo Forest Reserve. The Jane Goodall Foundation now administers this part of the forest. We consumed our picnic lunch at Busingiro campsite. From Busingiro we walked along the road that passes through the forest. The birding was a bit slow but we had good looks at Chestnut-capped Flycatchers, Brown-crowned Eremomelas, Spotted Greenbuls, Buff-throated Apalis, to name but a few. We retraced our steps to Masindi stopping now and again for Yellow-mantled, Red-collared and Fan-tailed Widowbirds, and Black Bishop. We dropped Vincent off and got back to Masindi in time for a hot shower and a beer before dinner.

Saturday September 15

After another early breakfast we set off for Kanio Pabidi sector of the Budongo Forest. Here we were scheduled to track the habituated Chimpanzee, a group of 60 plus individuals. Passing through the gate Whistling Cisticola taunted us; a wattle-eye was heard and seen by a few. Once at the Chimpanzee trailhead, and after a short briefing, we set off into the forest. This is a sector of forest that has not been logged and we were shown a few humongous Mahogany trees that were allegedly 350 and 400 years old. The undergrowth here is thick and while we heard a number of birds including Rufous Flycatcher-Thrush, Honeyguide Greenbul, Yellow-spotted Barbet, the group did not dilly-daddle much as the focus was on Chimpanzees today. As it turned out the Chimpanzee group had gone wandering outside of the forest and neither we, nor anyone else, were going to see them today. Justin, our guide, was very informative and animated about his chimps and we learnt a lot from him about Chimpanzee behaviour. Once back at base we set off for the top of the Murchison Falls, to witness and absorb the roaring maelstrom of water as it uncontrollably bears down on a gap of about seven metres. Rock Pratincoles - 38 in one group, a few Wahlberg's Eagle were in evidence here today. A heavy rainstorm kept us under cover for a while before we could descend to the falls themselves. They are impressive especially from lower down where it looks as if a wall of water is coming straight for you. The dreaded Tsetse flies were a nuisance as usual but their numbers were less than in previous years. They were a pest on our way to the River Nile ferry too. We drove slowly looking for Heuglin's Francolin but at the end of the day, while we did see at least three, the tsetse won the war. We crossed the River Nile and were soon at Paraa lodge.

Sunday September 16

We had an early breakfast prior to driving into the park. The ferry got blown away in the storm last night so we almost had the north bank to ourselves this morning as no one could cross from the south bank until they had retrieved the ferry. The morning was pleasantly cool but it did warm-up considerably later with the cloud cover clearing and becoming bright and sunny. We had a good morning with an amazing total of 44 Abyssinian Ground Hornbill - one group of 28 individuals. Jim, our compulsory park guide, took us off the main track, onto one of the oil prospecting tracks, toward a nice group of Rothschild's Giraffe. Here we stopped for a bit and from here were lucky to spot two Pata's Monkey sitting in some low trees. Then we noticed some vultures circling overhead suddenly plummeting earthwards, a kill. Again an oil prospector's track lead us to within a few metres of the squabbling vultures, a couple of Lappets, a few White-backs and 51 Rüppell's. Some Northern Carmine Bee-eater, lots of Silverbird, Beautiful Sunbird, many clapping Flappet Larks and Zitting and Croaking Cisticolas, Swallow-tailed Bee-eater, Black-headed Lapwing, Speckle-fronted Weaver and Rufous Sparrow filled our morning's list. We had some good game too with two groups of Rothschild's Giraffe and a small breeding herd of distant Elephant. The grasslands were long and green and the diminutive Oribo were common in this part of the park as were groups of African Buffalo, many Jackson's Hartebeest and Uganda Kob. We arrived back at Paraa at around 13.45 in time for our launch trip up the Nile River toward the famous falls, where the Nile River squeezes through a gap of seven metres and tumbles down some 40 metres below. Red-throated Bee-eaters, herons, egrets and African Fish-Eagle entertained us, and as we approached the falls a number of Rock Pratincole were there to greet us.

We returned to Nile Safari Camp by boat in the late afternoon to experience another stunning evening sunset from our Nile River balconies.

Monday September 17

Today we left early again to spend all day in the park on the north bank. As we left Paraa, we saw hundreds of Red-fronted Bee-eaters building new nest holes with tails splayed for balance as they excavated their

nesting holes in a sandy river bank. As we crossed the first bridge a troop of Olive Baboons held a brief roadblock. One had an old wound to the lip, which was ripped. Today we got as far as the delta – the mouth of the Nile as it meets Lake Albert. Along the Albert-Nile a plethora of water and edge associated birds from Pink-backed Pelicans, Saddle-billed Storks, Goliath Herons to Little Bitterns, Black-headed and Short-toed Lapwings and Grey-crowned Cranes. We saw two bustards, Black-bellied and Denham's and early on we had an obliging Heuglin's Francolin just before we were enveloped in oil-exploration trucks in a rush to get nowhere. We had early European and Blue-cheeked Bee-eaters and far fewer Abyssinian Ground Hornbills compared to yesterday.

It was a warm day and Stephie found us a good shady tree on the banks of Lake Albert under which to consume our picnic lunch. We had some good raptors today including Red-necked Falcons sitting in dead trees instead of in palms, Dark Chanting Goshawk, Bateleur, Grey Kestrel and African Harrier-hawk. We saw lots of Rattling Cisticola today much to the group's delight. We had more sights of more than a hundred Rothschild's Giraffe and an equal number of the diminutive Oribi. Jackson's Hartebeest were common and we saw about 40 African Elephant today, mostly in small breeding herds. We returned to Paraa as the sun was setting.

Tuesday September 18

We set off early as our route today took us along the shores of Lake Albert to the Butiaba escarpment. We stopped near the top of the pass and immediately saw Cliff-chat (Mocking Chat). Thereafter we continued up the pass on foot picking off Foxy Cisticola, Striped Kingfisher, Spot-flanked Barbet, Silverbird, Purple-banded Sunbird and Chestnut-crowned Sparrow-weavers. We continued our journey on through Hoima, and finally saw some Double-toothed Barbet properly. As we were heading south of Hoima and had our second flat tyre of the day – time for our lunch while Stephie changed it – hopefully we'd not get another. We weaved our way through Kampala and its gridlock traffic finally getting to the guesthouse in Entebbe in time for a quick shower and change of clothes before a short transfer to the airport for check-in for the flight to Nairobi and then on to London-Heathrow where the group arrived the following morning.

Acknowledgements

I should like to thank everyone for making this a most enjoyable tour. My sincere thanks, too, to Stephie our reliable and hardworking driver and learner birder. I am sure that this tour had many highlights for each of you but I am sure that the one you will not forget is your time with the Gorillas and all the wonderful cisticolas, and not least of course the real birds like Great Blue Turacos, Narina's and Bar-tailed Trogons, and of course the Chocolate-backed Kingfisher. Hope to see you all again one day.

Ian Davidson
c/o Ornitholidays
29 Straight Mile
Romsey
Hampshire
SO51 9BB
Tel: 01794 519445
E-mail: info@ornitholidays.co.uk

October 2007

Itinerary and weather

- 06 September 2007 Kenya Airways International flight from London Heathrow to Nairobi.
- 07 September 2007 Morning arrival at Entebbe on Kenya Airways. Transfer to guesthouse to check-in and for lunch. PM to Mabamba Swamp.
Partly cloudy to overcast. Heavy rain in afternoon; Temp 28C; alt 1,250m.
- 08 September 2007 Drive Entebbe to Buhoma. Stopped Masaka platform. Lunch Mbarara. Overnight Buhoma Guesthouse.
Clear becoming partly cloudy later with rain during the night; Temp 32C; alt 1,150m.
- 09 September 2007 Gorilla trek; later excursion to 'the neck'. PM return to Buhoma Guesthouse.
Clear becoming partly cloudy and in late afternoon overcast with rain; Temp 28C; alt 1,500m.
- 10 September 2007 Morning in Bwindi Forest along old road; After lunch transfer to Ishasha tented camp. Gorilla trek day early afternoon drive to Ishasha.
Overcast in morning with a rain shower at midday; Afternoon warm & dry; Temp 20C (AM), 30C (PM); alt 950m.
- 11 September 2006 Morning game drive Ishasha area of QENP. Post lunch drive to Mweya Lodge.
Overcast to partly cloudy with rain showers in late afternoon; Temp 25C; alt 950m.
- 12 September 2007 Morning game drive to Katwe explosion crater area of QENP; afternoon launch cruise on Kasinga channel.
Cool in AM warming up - partly cloudy and sunny; Temp 25C; alt 950m.
- 13 September 2007 Left Mweya after breakfast for Fort Portal thereafter through Hoima to Masindi arriving early evening.
Partly cloudy to overcast with rain in the afternoon. Temp 25C; alt 1,120m.
- 14 September 2007 Masindi to Budongo Forest; AM – 'Royal Mile'; PM – Busingiro.
Partly cloudy to clear and sunny, light breeze; Temp 28; alt 1,200m.
- 15 September 2007 Left Masindi for Kanio Pabidi for Chimp trek. Murchison Falls for lunch; Paraa Lodge late afternoon.
Clear and sunny in AM becoming overcast with heavy rain in early afternoon clearing again; Temp 30C; alt 650m.
- 16 September 2007 Game drive north bank of Murchison Falls NP in AM. Boat cruise to bottom of falls on Nile River.
Cool at first becoming hot toward midday; afternoon clear and hot. Temp 30C; alt 650m.
- 17 September 2007 All day north bank Murchison Falls National Park.
Clear, sunny and hot all day. Temp 32C; alt 650m.
- 18 September 2007 Left Murchison Falls NP for drive along Lake Albert edge to Butiaba escarpment; then through Hoima and on to Entebbe. Evening check-in for Kenya Airways flight to Nairobi and connection to London Heathrow.
Clear to partly cloudy with rain showers in afternoon. Temp 30C; alt 1,250m.
- 19 September 2007 Arrive London Heathrow.

CHECKLIST OF BIRDS SEEN DURING THE TOUR

No of days recorded	Abundance Scale (max. seen on 1 day)
1 2h means seen on 1 day and heard on 2 other days	1 = 1-4 2 = 5-9 3 = 10-99 4 = 100+ h = heard only

Bold - regional specials

Birds seen 339, heard only 10, total (including heard for group) 349

SPECIES	No of days recorded	Abundance scale	SCIENTIFIC NAME
White-breasted Cormorant	1	4	<i>Phalacrocorax lucidus</i>
African Darter	4	2	<i>Anhinga rufa</i>
Reed Cormorant	2	1	<i>Phalacrocorax africanus</i>
Hamerkop	9	3	<i>Scopus umbretta</i>
Goliath Heron	6	3	<i>Ardea goliath</i>
Purple Heron	2	1	<i>Ardea purpurea</i>
Grey Heron	5	1	<i>Ardea cinerea</i>
Black-headed Heron	6	3	<i>Ardea melanocephala</i>
Yellow-billed Egret	1	1	<i>Egretta intermedia</i>
Great [g. White] Egret	6	1	<i>Egretta alba</i>
Little Egret	4	2	<i>Egretta garzetta</i>
Cattle Egret	9	4	<i>Bubulcus ibis</i>
Squacco Heron	2	1	<i>Ardeola ralloides</i>
Green-backed Heron	2	1	<i>Butorides striatus</i>
White-backed Night-Heron	1	1	<i>Gorsachius leuconotus</i>
Little Bittern	1	1	<i>Ixobrychus minutus</i>
African Spoonbill	1	1	<i>Platalea alba</i>
African Sacred Ibis	5	3	<i>Threskiornis aethiopicus</i>
Hadedda Ibis	9	3	<i>Bostrychia hagedash</i>
Great White Pelican	2	3	<i>Pelecanus onocrotalus</i>
Pink-backed Pelican	4	3	<i>Pelecanus rufescens</i>
Shoebill	1	1	<i>Balaeniceps rex</i>
Marabou Stork	8	3	<i>Leptoptilos crumeniferus</i>
Saddle-billed Stork	4	1	<i>Ephippiorhynchus senegalensis</i>
African Openbill	2	2	<i>Anastomus lamelligerus</i>
Yellow-billed Stork	4	3	<i>Mycteria ibis</i>
White-faced Duck	4	3	<i>Dendrocygna viduata</i>
Egyptian Goose	1	3	<i>Alopochen aegyptiacus</i>
Spur-winged Goose	1	1	<i>Plectropterus gambensis</i>
Comb [knob-billed] Duck	1	1	<i>Sarkidiornis melanotos</i>
Yellow-billed Duck	2	1	<i>Anas undulata</i>
Black-shouldered Kite	4	1	<i>Elanus caeruleus</i>
Yellow-billed Kite	6	4	<i>Milvus aegyptius</i>
African Fish-Eagle	8	3	<i>Haliaeetus vocifer</i>
Palm-nut Vulture	8	1	<i>Gypohierax angolensis</i>
Hooded Vulture	1	1	<i>Necrosyrtes monachus</i>
Lappet-faced Vulture	2	1	<i>Torgos tracheliotus</i>
African White-backed Vulture	4	2	<i>Gyps africanus</i>

Rüppell's Vulture	2	3	<i>Gyps rueppellii</i>
Brown Snake-Eagle	4	1	<i>Circaetus cinereus</i>
Bateleur	7	3	<i>Terathopius ecaudatus</i>
African Marsh-Harrier	2	1	<i>Circus ranivorus</i>
African Harrier-Hawk [Gymnogene]	7	2	<i>Polyboroides typus</i>
Lizard Buzzard	3	2	<i>Kaupifalco monogrammicus</i>
Gabar Goshawk	1	1	<i>Melierax gabar</i>
Dark Chanting Goshawk	3	2	<i>Melierax metabates</i>
Shikra	1	1	<i>Accipiter badius</i>
Steppe Buzzard	1	1	<i>Buteo vulpinus</i>
Augur Buzzard	2	2	<i>Buteo augur</i>
Tawny Eagle	1	1	<i>Aquila rapax</i>
Wahlberg's Eagle	5	2	<i>Aquila wahlbergi</i>
Long-crested Eagle	10	3	<i>Lophaetus occipitalis</i>
African crowned Eagle	1	1	<i>Stephanoaetus coronatus</i>
Common Kestrel	2	1	<i>Falco tinnunculus rufescens</i>
Red-necked Falcon	2	1	<i>Falco chicquera</i>
Grey Kestrel	5	2	<i>Falco ardosiaceus</i>
Helmeted Guineafowl	7	3	<i>Numida meleagris</i>
Crested Francolin	3	2	<i>Dendroperdix sephaena</i>
Scaly Spurfowl	1	1	<i>Pternistes squamatus</i>
Heuglin's Spurfowl	4	1	<i>Pternistes icterorhynchus</i>
Red-necked Spurfowl	4	3	<i>Pternistis afer</i>
Common Quail	1	1	<i>Coturnix coturnix</i>
Harlequin Quail	2	1	<i>Coturnix delegorguei</i>
White-spotted Flufftail	- h	h	<i>Sarothrura pulchra</i>
African Crake	2	2	<i>Crex egregia</i>
Black Crake	2 h	1	<i>Amaurornis flavirostris</i>
Grey Crowned Crane	3 h	3	<i>Balearica regulorum</i>
Denham's Bustard	1	1	<i>Neotis denhami</i>
Black-bellied Bustard	2	1	<i>Eupodotis melanogaster</i>
African Jacana	6	2	<i>Actophilornis africanus</i>
Senegal Thick-knee	2	2	<i>Burhinus senegalensis</i>
Water Thick-knee [Dikkop]	1	3	<i>Burhinus vermiculatus</i>
Rock Pratincole	2	2	<i>Glareola nuchalis</i>
Kittlitz's Plover	1	1	<i>Charadrius pecuarius</i>
Three-banded Plover	1	1	<i>Charadrius tricollaris</i>
Long-toed Lapwing	4	2	<i>Vanellus crassirostris</i>
Spur-winged Lapwing	5	3	<i>Vanellus spinosus</i>
Black-headed Lapwing	1	2	<i>Vanellus tectus</i>
African Wattled Lapwing	8	3	<i>Vanellus senegallus</i>
Senegal [Lesser Black-winged] Lapwing	1	1	<i>Vanellus lugubris</i>
Brown-chested Lapwing	1	1	<i>Vanellus superciliosus</i>
Black-winged Stilt	1	1	<i>Himantopus himantopus</i>
Black-tailed Godwit	1	1	<i>Limosa limosa</i>
Common Greenshank	2	1	<i>Tringa nebularia</i>
Marsh Sandpiper	2	1	<i>Tringa stagnatilis</i>
Ruff	1	1	<i>Philomachus pugnax</i>
Wood Sandpiper	5	1	<i>Tringa glareola</i>
Common Sandpiper	7	1	<i>Actitis hypoleucos</i>
Curlew Sandpiper	1	1	<i>Calidris ferruginea</i>
Little Stint	1	1	<i>Calidris minuta</i>
Grey-headed Gull	1	3	<i>Larus cirrocephalus</i>

African Skimmer	1		3	<i>Rynchops flavirostris</i>
Gull-billed Tern	1		2	<i>Sterna nilotica</i>
White-winged Tern	3		2	<i>Chlidonias leucopterus</i>
Feral Pigeon	2		2	<i>Columba livia</i>
Speckled Pigeon	1		1	<i>Columba guinea</i>
Afep Pigeon	1	h	1	<i>Columba unicincta</i>
Red-eyed Dove	8		3	<i>Streptopelia semitorquata</i>
African Mourning Dove	2	5h	2	<i>Streptopelia decipiens</i>
Ring-necked [Cape Turtle] Dove	6		3	<i>Streptopelia capicola</i>
Vinaceous Dove	2	h	3	<i>Streptopelia vinacea</i>
Laughing Dove	7		3	<i>Streptopelia senegalensis</i>
African Green Pigeon	2		1	<i>Treron calva</i>
Black-billed Wood-Dove	4		2	<i>Turtur abyssinicus</i>
Blue-spotted Wood-Dove	2		2	<i>Turtur afer</i>
Tambourine Dove	1		1	<i>Turtur tympanistria</i>
Brown [Meyer's] Parrot	2	2h	2	<i>Poicephalus meyeri</i>
Great blue Turaco	6	h	3	<i>Corythaeola cristata</i>
Ross's Turaco	2		1	<i>Musophaga rossae</i>
Eastern Grey Plantain-Eater	8		3	<i>Crinifer zonurus</i>
Diderick Cuckoo	4		2	<i>Chrysococcyx caprius</i>
Klaas's Cuckoo	1	h	1	<i>Chrysococcyx klaas</i>
African Emerald Cuckoo	1	h	1	<i>Chrysococcyx cupreus</i>
Black-and-white [Jacobin] Cuckoo	1		1	<i>Oxylophus jacobinus</i>
Levaillant's [Striped] Cuckoo	1		1	<i>Clamator levaillantii</i>
Red-chested Cuckoo	2	2h	1	<i>Cuculus solitarius</i>
African Cuckoo	2		1	<i>Cuculus gularis</i>
Black Coucal	2		1	<i>Centropus grillii</i>
Blue [Yellowbill] Malkoha	2	h	1	<i>Ceuthmochares aereus</i>
White-browed Coucal	8		3	<i>Centropus superciliosus</i>
Blue-headed Coucal	2	h	1	<i>Centropus monachus</i>
African Palm Swift	4		3	<i>Cypsiurus parvus</i>
Little Swift	6		3	<i>Apus affinis</i>
White-rumped Swift	3		2	<i>Apus caffer</i>
Sabine's Spinetail	1		2	<i>Rhaphidura sabini</i>
Eurasian Swift	4		3	<i>Apus apus</i>
African Black Swift	1		1	<i>Apus barbatus</i>
Speckled Mousebird	12		3	<i>Colius striatus</i>
Blue-naped Mousebird	5	h	3	<i>Urocolius macrourus</i>
Narina Trogon	1		1	<i>Apaloderma narina</i>
Bar-tailed Trogon	1	h	1	<i>Apaloderma vittatum</i>
Green Wood-Hoopoe	1		1	<i>Phoeniculus purpureus</i>
Black Scimitarbill	-	h	h	<i>Rhinopomastus aterrimus</i>
Common Scimitarbill	2		1	<i>Rhinopomastus cyanomelas</i>
Shining-blue Kingfisher	1		1	<i>Alcedo quadribrachys</i>
Malachite Kingfisher	4		2	<i>Alcedo cristata</i>
African Pygmy-Kingfisher	4		2	<i>Ispidina picta</i>
Chocolate-backed Kingfisher	1		1	<i>Halcyon badia</i>
Grey-headed Kingfisher	5		2	<i>Halcyon leucocephala</i>
Blue-breasted Kingfisher	4	h	2	<i>Halcyon malimbica</i>
Woodland Kingfisher	6		3	<i>Halcyon senegalensis</i>
Striped Kingfisher	4	2h	1	<i>Halcyon chelicuti</i>
Giant Kingfisher	1		1	<i>Megaceryle maxima</i>
Pied Kingfisher	8		3	<i>Ceryle rudis</i>

Broad-billed Roller	4	2	<i>Eurystomus glaucurus</i>
Blue-throated Roller	1	1	<i>Eurystomus gularis</i>
Lilac-breasted Roller	1	1	<i>Coracias caudata</i>
Black Bee-eater	1	1	<i>Merops gularis</i>
Northern Carmine Bee-eater	2	2	<i>Merops nubicus</i>
Swallow-tailed Bee-eater	1	2	<i>Merops hirundineus</i>
Little Bee-eater	1	1	<i>Merops pusillus</i>
Cinnamon-chested Bee-eater	1	1	<i>Merops oreobates</i>
Red-throated Bee-eater	3	3	<i>Merops bulocki</i>
White-throated Bee-eater	5	3	<i>Merops albicollis</i>
Blue-cheeked Bee-eater	1	1	<i>Merops persicus</i>
Madagascar Bee-eater	4	3	<i>Merops superciliosus</i>
European Bee-eater	3	2	<i>Merops apiaster</i>
Abyssinian Ground Hornbill	3	2	<i>Bucorvus abyssinicus</i>
Crowned Hornbill	6	3	<i>Tockus alboterminatus</i>
African Grey Hornbill	7	2	<i>Tockus nasutus</i>
African Pied Hornbill	2	1	<i>Tockus fasciatus</i>
Black-and-white Casqued Hornbill	5 h	3	<i>Bycanastes subcylindricus</i>
White-thighed Hornbill	2	2	<i>Bycanastes cylindricus</i>
Grey-throated Barbet	2	1	<i>Gymnobucco bonapartei</i>
Speckled Tinkerbird	2 3h	1	<i>Pogoniulus scolopaceus</i>
Yellow-fronted Tinkerbird	1 h	1	<i>Pogoniulus chrysoconus</i>
Yellow-rumped [Golden-rumped] Tinkerbird	2 2h	1	<i>Pogoniulus bilineatus</i>
Yellow-throated [Green] Tinkerbird	1 3h	1	<i>Pogoniulus subsulphureus</i>
Streaky-throated [Hairy-breasted] Barbet	1	1	<i>Tricholaema hirsuta</i>
Yellow-spotted Barbet	1 2h	1	<i>Buccanodon duchailui</i>
Spot-flanked Barbet	2	1	<i>Tricholaema lacrymosa</i>
Black-billed Barbet	1	2	<i>Lybius guifsobalito</i>
Double-toothed Barbet	2	1	<i>Lybius bidentatus</i>
Cardinal Woodpecker	3	1	<i>Campethera fuscescens</i>
Yellow-crested Woodpecker	2	1	<i>Dendropicos xantholophus</i>
Elliot's Woodpecker	1	1	<i>Dendropicos ellioti</i>
Rufous-naped Lark	2	1	<i>Mirafra africana</i>
Flappet Lark	5	2	<i>Mirafra rufocinnamomea</i>
Plain [Brown-throated] Martin	3	1	<i>Riparia paludicola</i>
Banded Martin	2	1	<i>Riparia cincta</i>
White-headed Saw-wing	7	2	<i>Psalidoprocne albiceps</i>
Black Saw-wing	2	2	<i>Psalidoprocne holomelas</i>
Barn [European] Swallow	9	4	<i>Hirundo rustica</i>
Angola swallow	3	2	<i>Hirundo angolensis</i>
Wire-tailed Swallow	2	2	<i>Hirundo smithii</i>
Lesser striped Swallow	2	1	<i>Hirundo abyssinica</i>
Red-rumped Swallow	1	1	<i>Hirundo daurica</i>
African Pied Wagtail	9	2	<i>Motacilla aguimp</i>
Cape Wagtail	3	1	<i>Motacilla capensis</i>
Mountain Wagtail	1	1	<i>Motacilla clara</i>
Yellow-throated Longclaw	7	2	<i>Macronyx croceus</i>
Black Cuckoo-Shrike	1	1	<i>Campephaga flava</i>
Petit's Cuckoo-Shrike	2	1	<i>Campephaga petiti</i>
Fork-tailed Drongo	5	2	<i>Dicrurus adsimilis</i>
Black-headed Oriole	1+h	1	<i>Oriolus larvatus</i>
Western Black-headed Oriole	2h	h	<i>Oriolus brachyrhynchus</i>
Piapiac	3	2	<i>Ptilostomus afer</i>

Pied Crow	7	3	<i>Corvus albus</i>
Dusky Tit	2	1	<i>Parus funereus</i>
Black-lored [Sharpe's] Babbler	2	2	<i>Turdoides sharpei</i>
Mountain Illadopsis	1	1	<i>Illadopsis pyrrhoptera</i>
Dark-capped [Black-eyed] Bulbul	12	3	<i>Pycnonotus tricolor</i>
White-throated Greenbul	1	1	<i>Phyllastrephus albigularis</i>
Cabanis's Greenbul	1	1	<i>Phyllastrephus cabanisi</i>
Yellow-whiskered Greenbul	- h	h	<i>Andropadus latirostris</i>
Little Greenbul	2 2h	1	<i>Andropadus virens</i>
Slender-billed Greenbul	2	1	<i>Andropadus gracilirostris</i>
Kakamega [Shelley's] Greenbul	1	1	<i>Andropadus kakamegae</i>
Yellow-throated Leaf-love	- h	h	<i>Chlorocichla flavicollis</i>
Red-tailed Greenbul	1	1	<i>Criniger calurus</i>
Honeyguide Greenbul	- h	h	<i>Baeopogon indicator</i>
Spotted Greenbul	1	1	<i>Ixonotus guttatus</i>
Western Nicator	1 h	1	<i>Nicator chloris</i>
White-tailed Ant-Thrush	1	1	<i>Neocossyphus poensis</i>
Rufous Flycatcher-Thrush	2 h	1	<i>Neocossyphus fraseri</i>
African Thrush	6	2	<i>Turdus pelios</i>
Grey-winged Robin-Chat	1	1	<i>Cossypha polioptera</i>
Red-capped Robin-Chat	1	1	<i>Cossypha natalensis</i>
White-browed [Heuglin's] Robin-Chat	4	2	<i>Cossypha heuglini</i>
Spotted Palm-Thrush	1 h	1	<i>Cichladusa guttata</i>
African Stonechat	1	1	<i>Saxicola torquata</i>
Sooty Chat	7	3	<i>Myrmecocichla nigra</i>
Mocking Cliff-Chat	1	1	<i>Thamnolaea cinnamomeiventris</i>
Moustached Grass-Warbler	2 2h	1	<i>Melocichla mentalis</i>
Red-faced Woodland Warbler	1	1	<i>Phylloscopus laetus</i>
Trilling Cisticola	2 2h	1	<i>Cisticola woosnami</i>
Whistling Cisticola	1 2h	1	<i>Cisticola lateralis</i>
Chubb's Cisticola	- h	h	<i>Cisticola chubbi</i>
Short-winged [Siffling] Cisticola	1	1	<i>Cisticola brachypterus</i>
Foxy Cisticola	1	1	<i>Cisticola troglodytes</i>
Rattling Cisticola	2	1	<i>Cisticola chiniana</i>
Winding Cisticola	3	1	<i>Cisticola galactotes</i>
Croaking Cisticola	2 h	1	<i>Cisticola natalensis</i>
Zitting Cisticola	5	2	<i>Cisticola juncidis</i>
Black-throated Apalis	2	1	<i>Apalis jacksoni</i>
Mountain masked [Black-faced] Apalis	1	1	<i>Apalis personata</i>
Buff-throated Apalis	1	1	<i>Apalis rufogularis</i>
Grey Apalis	2	1	<i>Apalis cinerea</i>
Tawny-flanked Prinia	1	1	<i>Prinia subflava</i>
Banded Prinia	1	1	<i>Prinia bairdii</i>
White-chinned Prinia	1 h	1	<i>Prinia leucopogon</i>
Buff-bellied Warbler	2	1	<i>Phyllolais pulchella</i>
Grey-capped Warbler	1 h	1	<i>Eminia lepida</i>
Rufous-crowned Eremomela	1	1	<i>Eremomela badiceps</i>
Lemon-bellied Crombec	- h	h	<i>Sylvietta denti</i>
White-browed Crombec	1	1	<i>Sylvietta leucophrys</i>
Green Hylia	2 2h	1	<i>Hylia prasina</i>
Grey-backed Camaroptera	3 3h	2	<i>Camaroptera brevicaudata</i>
Olive-green Camaroptera	1 h	1	<i>Camaroptera chloronota</i>
Black-faced Rufous Warbler	1 h	1	<i>Bathmocercus rufus</i>

Pale Flycatcher	1	1	<i>Bradornis pallidus</i>
White-eyed Slaty Flycatcher	1	1	<i>Melaenornis fischeri toruensis</i>
Northern Black Flycatcher	1	1	<i>Melaenornis edolioides</i>
Silverbird	3	3	<i>Empidonornis semipartitus</i>
Black-and-white [Vanga] Flycatcher	2	1	<i>Bias musicus</i>
Cassin's [Grey] Flycatcher	3	1	<i>Muscicapa cassini</i>
Ashy [Blue-grey] Flycatcher	1	1	<i>Muscicapa caeruleascens</i>
Swamp Flycatcher	4	3	<i>Muscicapa aquatica</i>
African Dusky Flycatcher	2	1	<i>Muscicapa adusta</i>
Grey Tit-Flycatcher [Lead-coloured]	2	1	<i>Myioparus plumbeus</i>
Grey-throated Tit-Flycatcher	1	1	<i>Myioparus griseigularis</i>
African Paradise-Flycatcher	5	1	<i>Terpsiphone viridis</i>
Red-bellied Paradise-Flycatcher	1	1	<i>Terpsiphone rufiventer</i>
White-tailed Blue Flycatcher	1	1	<i>Elminia albicauda</i>
Chestnut-capped Flycatcher	1	1	<i>Erythrocercus mccallii</i>
Ituri Batis	1	1	<i>Batis ituriensis</i>
Black-headed Batis	1	1	<i>Batis minor</i>
Brown-throated [Scarlet-spectacled] Wattle-eye	2	1	<i>Platysteira cyanea</i>
Chestnut Wattle-eye	1	1	<i>Dyaphorophyia castanea</i>
Grey-backed Fiscal	9	3	<i>Lanius excubitoroides</i>
Mackinnon's Fiscal	1	1	<i>Lanius mackinnoni</i>
Common Fiscal	7	2	<i>Lanius collaris</i>
Northern Puffback	3	1	<i>Dryoscopus gambensis</i>
Brown-crowned [Three-streaked] Tchagra	- h	h	<i>Tchagra australis</i>
Black-crowned Tchagra	6	2	<i>Tchagra senegala</i>
Tropical Boubou	1 2h	1	<i>Laniarius aethiopicus</i>
Black-headed Gonolek	5	2	<i>Laniarius erythrogaster</i>
Papyrus Gonolek	1 3h	1	<i>Laniarius mufumbiri</i>
Lowland Sooty Boubou	- h	h	<i>Laniarius leucorhynchus</i>
Orange-breasted [Sulphur-br] Bush-Shrike	- 2h	1	<i>Telophorus sulfureopectus</i>
Splendid Starling	3	1	<i>Lamprotornis splendidus</i>
Lesser Blue-eared Starling	4	3	<i>Lamprotornis chloropterus</i>
Rüppell's Starling	9	3	<i>Lamprotornis purpuropterus</i>
Violet-backed [Plum-coloured] Starling	2	2	<i>Cinnyricinclus leucogaster</i>
Narrow-tailed Starling	2	2	<i>Poeoptera lugubris</i>
Stuhlmann's Starling	1	1	<i>Poeoptera stuhlmanni</i>
Wattled Starling	2	1	<i>Creatophora cinerea</i>
Yellow-billed Oxpecker	4	2	<i>Buphagus africanus</i>
Bronze Sunbird	1	1	<i>Nectarinia kilimensis</i>
Copper Sunbird	5	1	<i>Cinnyris cuprea</i>
Green-throated Sunbird	1	1	<i>Chalcomitra rubescens</i>
Scarlet-chested Sunbird	3	1	<i>Chalcomitra senegalensis</i>
Blue-throated Brown Sunbird	1	1	<i>Cyanomitra cyanolaema</i>
Olive Sunbird	3	1	<i>Cyanomitra olivacea</i>
Little green Sunbird	1	1	<i>Anthreptes seimundi</i>
Grey-chinned [Green] Sunbird	1	1	<i>Anthreptes rectirostris</i>
Collared Sunbird	2	1	<i>Hedydipna collaris</i>
Beautiful Sunbird	1	1	<i>Cinnyris pulchella</i>
Red-chested Sunbird	4	2	<i>Cinnyris erythrocerca</i>
Marico Sunbird	1	1	<i>Cinnyris mariquensis</i>
Purple-banded Sunbird	1	1	<i>Cinnyris bifasciata</i>
Olive-bellied Sunbird	1	1	<i>Cinnyris chloropygia</i>
Northern Double-collared Sunbird	1	1	<i>Cinnyris preussi</i>

African Yellow White-eye	3	2	<i>Zosterops senegalensis</i>	
Rufous Sparrow	1	1	<i>Passer rufocinctus</i>	
Northern Grey-headed Sparrow	9	2	<i>Passer griseus</i>	
Speckle-fronted Weaver	2	2	<i>Sporopipes frontalis</i>	
Chestnut-crowned Sparrow-Weaver	1	1	<i>Plocepasser superciliosus</i>	
Golden [Holub's Golden] Weaver	1	1	<i>Ploceus xanthops</i>	
Northern Brown-throated Weaver	3	1	<i>Ploceus castanops</i>	
Spectacled Weaver	1	1	<i>Ploceus ocularis</i>	
Black-headed [Village] Weaver	8	3	<i>Ploceus cucullatus</i>	
Vitelline Masked Weaver	1	1	<i>Ploceus velatus</i>	
Lesser Masked Weaver	1	1	<i>Ploceus intermedius</i>	
Slender-billed Weaver	3	2	<i>Ploceus pelzelni</i>	
Baglafaecht Weaver	4	1	<i>Ploceus baglafaecht</i>	
Black-necked Weaver	2	1	<i>Ploceus nigricollis</i>	
Yellow-backed Weaver	4	3	<i>Ploceus melanocephalus</i>	
Vieillot's Black Weaver	5	4	<i>Ploceus nigerrimus</i>	
Red-headed Malimbe	1	1	<i>Malimbus rubricollis</i>	
Red-billed Quelea	3	3	<i>Quelea quelea</i>	
Northern Red Bishop	2	2	<i>Euplectes franciscanus</i>	
Black-winged Bishop	1	1	<i>Euplectes hordeaceus</i>	
Black Bishop	3	3	<i>Euplectes gierowii</i>	
Yellow-mantled Widowbird	4	1	<i>Euplectes macrourus</i>	
Red-collared Widow	1	1	<i>Euplectes ardens</i>	
Fan-tailed [Red-shouldered] Widowbird	2	1	<i>Euplectes axillaris</i>	
White-winged Widowbird	3	2	<i>Euplectes albonotatus</i>	
White-breasted Negrofinch	2	1	<i>Nigrita fusconotus</i>	
Grey-headed Negrofinch	2	1	<i>Nigrita canicapilla</i>	
Red-billed Firefinch	1	1	<i>Lagonosticta senegala</i>	
African Firefinch	2	1	<i>Lagonosticta rubricata</i>	
Red-headed Bluebill	2	1	<i>Spermophaga ruficapilla</i>	
Bronze Mannikin	5	2	<i>Lonchura cucullata</i>	
Black-and-white Mannikin	1	1	<i>Spermestes bicolor</i>	
Magpie Mannikin	1	1	<i>Spermestes fringilloides</i>	
Red-cheeked Cordon-Bleu	3	3	<i>Uraeginthus bengalus</i>	
Fawn-breasted Waxbill	1	1	<i>Estrilda paludicola</i>	
Black-faced Waxbill	1	1	<i>Estrilda erythronotus</i>	
Crimson-rumped Waxbill	3	1	<i>Estrilda rhodopyga</i>	
Black-rumped Waxbill	2	1	<i>Estrilda troglodytes</i>	
Common Waxbill	1	1	<i>Estrilda astrild</i>	
Black-crowned Waxbill	1	1	<i>Estrilda nonnula</i>	
Pin-tailed Whydah	10	3	<i>Vidua macroura</i>	
Yellow-fronted [Yellow-eyed] Canary	3	1	<i>Serinus mozambicus</i>	
Brimstone [Bully] Canary	1	1	<i>Serinus sulphuratus</i>	
Western Citril	1	1	<i>Serinus frontalis</i>	
Thick-billed Seed eater	1	1	<i>Serinus burtoni</i>	
Cinnamon-breasted Rock Bunting	1	1	<i>Emberiza tahapisi</i>	
 Mammal species				
Chimpanzee	1	h	1	<i>Pan troglodytes</i>
Mountain Gorilla	1		1	<i>Gorilla gorilla</i>
Guereza (Black-and-white) Colobus	6		3	<i>Colobus guereza</i>
Olive Baboon	6		3	<i>Papio anubis</i>
Grey-cheeked Mangabey	1		1	<i>Lophocebus albigena</i>

Patas Monkey	1	1	<i>Cercopithecus patas</i>
Vervet Monkey	5	3	<i>Cercopithecus aethiops</i>
L'hoest's Monkey	1	2	<i>Cercopithecus l'hoesti</i>
Blue (gentle) Monkey	2	1	<i>Cercopithecus mitis</i>
Red-tailed Monkey	4	2	<i>Cercopithecus ascanius</i>
Epauletted Fruit Bat	1	2	<i>Epomorphus wahlbergi</i>
Yellow-winged Bat	1	1	<i>Lavia frons</i>
Striped Ground Squirrel	2	1	<i>Euxerus erythropus</i>
Alexander's Dwarf Squirrel	1	1	<i>Paraxerus alexandri</i>
Red-legged Sun Squirrel	1	1	<i>Heliosciurus rufobrachium</i>
Unstriped Grass Rat	1	1	<i>Arvicanthis sp</i>
Egyptian Mongoose	d	d	<i>Herpestes ichneumon</i>
Slender Mongoose	1	1	<i>Herpestes sanguinea</i>
Banded Mongoose	3	2	<i>Mungos mungo</i>
Spotted Hyaena	1	1	<i>Crocuta crocuta</i>
Leopard	1	1	<i>Panthera pardalis</i>
Lion	1	1	<i>Panthera leo</i>
African Elephant	3	2	<i>Loxodonto africana</i>
Hippopotamus	7	3	<i>Hippopotomus amphibius</i>
Warthog	7	3	<i>Phacochoerus africanus</i>
Rothschild's Giraffe	2	3	<i>Giraffa camelopardalis</i>
African Buffalo	7	3	<i>Syncerus caffer</i>
Bushbuck	3	1	<i>Tragelaphus scriptus</i>
Sitatunga	1	1	<i>Tragelaphus scriptus</i>
Oribi	2	3	<i>Ourebia ourebi</i>
Uganda Kob	8	4	<i>Adenota kob</i>
Defassa Waterbuck	8	3	<i>Kobus e. defassa</i>
Topi	2	3	<i>Damaliscus lunatus jimela</i>
Jackson's Hartebeest	2	3	<i>Alcelaphus b. lelweli</i>
Reptile species			
Tropical House Gecko	6	2	<i>Hemidactylus mabouia</i>
Blue-headed Tree Agama	5	3	<i>Acanthocerus atricollis</i>
Red-headed Rock Agama	1	1	<i>Agama agama</i>
Water Monitor Lizard	4	2	<i>Varanus niloticus</i>
Nile Crocodile	3	2	<i>Crocodylus niloticus</i>

This list represents those birds and other animals as seen by party members of the tour.



Narina's Trogon



Red-throated Bee-eater



Murchison Falls



Eastern Grey Plaintain-eaters



Ishasha Camp



Route of tour

All photographs © Ian Davidson